


50 mg Organic Bug Spray Broad Spectrum

Batch ID:	LE 210219	Test ID:	T000138818
Type:	Solution	Submitted:	05/06/2021 @ 10:30 AM
Test:	Potency	Started:	5/6/2021
Method:	TM14	Reported:	5/11/2021

CANNABINOID PROFILE



CBD 0.10%

CBDa 0.00%

delta 9 THC 0.00%

THCa 0.00%

Compound	LOQ (mg/mL)	Result (mg/mL)	Result (mg/g)
Delta 9-Tetrahydrocannabinolic acid (THCA-A)	0.12	ND	ND
Delta 9-Tetrahydrocannabinol (Delta 9THC)	0.14	ND	ND
Cannabidiolic acid (CBDA)	0.14	ND	ND
Cannabidiol (CBD)	0.14	0.97	1.0
Delta 8-Tetrahydrocannabinol (Delta 8THC)	0.15	ND	ND
Cannabinolic Acid (CBNA)	0.09	ND	ND
Cannabinol (CBN)	0.04	ND	ND
Cannabigerolic acid (CBGA)	0.13	ND	ND
Cannabigerol (CBG)	0.03	ND	ND
Tetrahydrocannabivarinic Acid (THCVA)	0.11	ND	ND
Tetrahydrocannabivarin (THCV)	0.03	ND	ND
Cannabidivarinic Acid (CBDVA)	0.06	ND	ND
Cannabidivarin (CBDV)	0.03	ND	ND
Cannabichromenic Acid (CBCA)	0.05	ND	ND
Cannabichromene (CBC)	0.05	ND	ND
Total Cannabinoids		0.97	1.0
Total Potential THC**		ND	ND
Total Potential CBD**		0.97	1.0

% = % (w/w) = Percent (Weight of Analyte / Weight of Product)

* Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.

** Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step.

$$\text{Total THC} = \text{THC} + (\text{THCa} * (0.877)) \text{ and}$$

$$\text{Total CBD} = \text{CBD} + (\text{CBDa} * (0.877))$$



ND = None Detected (Defined by Dynamic Range of the method)

NOTES:

Amendment to certificate T000138818 issued on 06May2021 to correct laboratory data analysis error.

Density = 0.929481g/mL

FINAL APPROVAL

 Rvan Weems 11-May-2021 3:27 PM	 Sam Smith 11-May-2021 4:19 PM
PREPARED BY / DATE	APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02



Certificate #4329.02